

HÜRNER WhiteLine
Tools and Accessories

KVG
Kunststoff-Vertriebs KG

HÜRNER
SCHWEISSTECHNIK

EN

Pipe Cutters

All pipe cutters by **HÜRNER** make a convincing difference by maximum resistance and ease of servicing. The casing is made of **high-density die-cast aluminum**. The hardened and PTFE-coated **cutting wheels** can be replaced without using tools and they are **"made in Solingen, Germany"**.
All pipe cutters feature a **removable de-bur pin** set into the casing and their ergonomically optimized handle ensures maximum ease of use.

Description	P/N
HÜRNER pipe cutter size 1, 6–76 mm for wall thickness up to 8.6 mm, incl. spare cutting wheel	**216-100-210**
HÜRNER pipe cutter size 2, 50–127 mm for wall thickness up to 19.8 mm, with optional, non-standard cutting wheel compatible with wall thickness up to 27.8 mm	**216-100-211**
HÜRNER pipe cutter size 3, 100–170 mm for wall thickness up to 19.8 mm, with optional, non-standard cutting wheel compatible with wall thickness up to 27.8 mm	**216-100-212**
Cutting wheel 19 × 6.2 for pipe cutter size 1 for metal pipes, maximum wall thickness 2.0 mm	**216-101-216**
Cutting wheel 19 × 6.2 for pipe cutter size 1 for copper and aluminum pipes, maximum wall thickness 2.0 mm	**216-101-217**
Cutting wheel 30 × 6.2 for pipe cutter size 1 for plastic and composite pipes, maximum wall thickness 8.6 mm	**216-101-210**
Spare pin for cutting wheel for pipe cutter size 1	**216-101-218**
Cutting wheel 25 × 11 for pipe cutter size 2 and 3 for metal pipes, maximum wall thickness 6.0 mm	**216-101-224**
Cutting wheel 35 × 11 for pipe cutter size 2 and 3 for plastic and composite pipes, maximum wall thickness 11.8 mm	**216-101-220**
Cutting wheel 45 × 11 for pipe cutter size 2 and 3 for plastic and composite pipes, maximum wall thickness 16.8 mm	**216-101-221**
Cutting wheel 51 × 11 for pipe cutter size 2 and 3 for plastic and composite pipes, maximum wall thickness 19.8 mm	**216-101-222**
Cutting wheel 67 × 11 for pipe cutter size 2 and 3 for plastic and composite pipes, maximum wall thickness 27.8 mm	**216-101-223**
Spare pin for cutting wheel for pipe cutter size 2 and 3	**216-101-225**
Replacement de-bur pin for pipe cutter size 1–3	**216-101-219**

Plastic Pipe Shears HSTCUT

HSTCUT Plastic Pipe Shears by **HÜRNER** make a convincing difference by highest quality and an optimum effect transmission. The PTFE-coated blades can be replaced without using tools and they are **"made in Solingen, Germany"**.
All plastic pipe shears feature an **automatically sheathing blade** and their ergonomically optimized grip handle ensures maximum ease of use.

Description	P/N
HÜRNER plastic pipe shear HSTCUT 35; 0–35 mm	**216-100-213**
Replacement blade HSTCUT 35	**216-100-217**
HÜRNER plastic pipe shear HSTCUT 42; 0–42 mm	**216-100-214**
Replacement blade HSTCUT 42	**216-100-218**
HÜRNER plastic pipe shear HSTCUT 50; 0–50 mm	**216-100-216**
Replacement blade HSTCUT 50	**216-100-219**
HÜRNER plastic pipe shear HSTCUT 63; 0–63 mm	**216-100-215**
Replacement blade HSTCUT 63	**216-100-220**



Pipe Scrapers

A quality joint does not only require worksite-proven welding systems, but also proper pipe preparation and the right tools. **HÜRNER**'s pipe scrapers ensure reliable removal of oxide layers on PE pipes and are easy to use with minimum effort. The spring-loaded blade and the automatic feed mechanism enable continuous adaptation to oval pipe shapes and tolerances, which in turn is the basis for a consistent cut all around the pipe. The high-spec, multiple-edge peeling/scraping blade made of hardened metal is the reason for the exceptional product longevity.
All **HÜRNER** pipe scrapers ship in a worksite-proven steel case.

Scrapers for Pipe Ends

Description	P/N
Scraper for pipe ends size 1 / 160 for time-efficient preparation of the welding zone for electrofusion fittings on pipes sized 32-160 mm, incl. transport box and tools	**216-100-060**
Scraper for pipe ends size 1.5 / 250 for time-efficient preparation of the welding zone for electrofusion fittings on pipes sized 63-250 mm, incl. transport box and tools	**216-100-065**
Scraper for pipe ends size 1.5 XL / 250 for time-efficient preparation of the welding zone for electrofusion fittings on pipes sized 63–250 mm, length of peeling/scraping 400 mm w/o transport box and tools	**216-100-075**
Scraper for pipe ends size 2 / 500 for time-efficient preparation of the welding zone for electrofusion fittings on pipes sized 110-500 mm, incl. transport box and tools	**216-100-070**
Replacement blade for size 1, size 1.5, size 2	**216-103-060**
Replacement screw for size 1, size 1.5, size 2	**216-104-061**
Transport box for Scraper for pipe ends size Gr.1.5 XL incl. insert	**216-100-127**

Manual Scrapers

Description	P/N
Manual scraper, single blade	**216-100-101**
Replacement blade for manual single-blade scraper (pack of 5)	**216-100-102**
Manual scraper, 4-edge blade	**219-300-008**
Replacement blade for manual 4-edge blade scraper (pack of 2)	**219-300-009**



Pipe Aligners

Description	P/N
All-purpose pipe aligner 75, nom. dia. 20–75 mm, w/ storage bag	**219-000-022**
All-purpose pipe aligner 180, nom. dia. 75–180 mm, w/ wooden box	**219-000-023**
All-purpose pipe aligner 500, nom. dia. 125–500 mm	**219-000-062**

Push-on Connection Adapters for Electrofusion Welders

To make the electrofusion welder universally useful, easily changed welding terminal adapters are a must. They enable welding electrofusion fittings of all makes as well as professional establishment of the contact in large-size pipe systems.

Type FF flat
P/N 216-010-070

4.7 mm × 4.0 mm
P/N 216-010-080

4.0 mm × 4.7 mm
P/N 216-010-630

Type FF pin
P/N 216-010-400

4.7 mm × 4.7 mm
P/N 216-010-580

Type COOL-FIT 4.0 mm
P/N 216-010-084

Type GF for loose wires
P/N 216-010-090

Welding Connection Terminal 4.7 mm
P/N 216-023-430

Welding Connection Terminal 4.0 mm
P/N 217-010-061



GF pinch-in adapter 4.7 mm
P/N 216-010-404

HP pinch-in adapter 6.0 mm
P/N 216-010-405

Type HP 6.0 mm
P/N 216-010-401

Type Hong Kong 5.7 mm
P/N 216-010-071

Miscellaneous Accessories

Professional accessories that result in optimum electrofusion.

Adapter Bag
P/N 216-030-310

Marker Pen
P/N 216-100-300

Code Scanner RS 232 for HST 300 2.0
P/N 216-030-253

Code Scanner WE
P/N 216-030-250

PE Cleaning Fluid AHK
P/N 219-300-007

Cleaning Towels
P/N 216-100-103

Aluminum Transport Case
P/N 200-216-002

ISO Welder Code Card
P/N 216-080-031

RFID Code Card
P/N 111-002-002

External Bead Remover

Description	P/N
External bead remover 75–400 mm	**219-000-031**
Replacement blade for 75–400 mm	**219-000-032**

Pipe Stand

Description	P/N
Pipe stand O.D. 400 mm	**219-000-024**



Chamfering Tools

Description	P/N
Chamfering tool size 1, 16–110 mm	**216-100-002**
Chamfering tool size 2, 40–250 mm	**216-100-003**
Replacement blade for tools size 1 and 2	**216-100-015**

Pipe Squeezes

Description	P/N
Pipe squeeze O.D. 20–63 mm (SDR 11)	**216-100-190**
Pipe squeeze O.D. 20–63 mm (SDR 17)	**216-100-237**
Pipe squeeze O.D. 63–200 mm (SDR 11 and SDR 17)	**216-100-191**
Rounding mold (pair) for up to O.D. 32 mm	**219-000-056**
Rounding mold (pair) for O.D. 40–63 mm	**219-000-057**
Pipe squeeze O.D. 160–250 mm (SDR 11 and SDR 17)	**216-100-230**

Rounding Clamps

Description	P/N
O.D. 63	**219-000-035**
O.D. 75	**219-000-036**
O.D. 90	**219-000-037**
O.D. 110	**219-000-038**
O.D. 125	**219-000-039**
O.D. 140	**219-000-040**
O.D. 160	**219-000-041**
O.D. 180	**219-000-042**
O.D. 200	**219-000-025**
O.D. 225	**219-000-026**
O.D. 250	**219-000-027**

Roller Pipe Stands

Description	P/N
Roller pipe stand for up to O.D. 315 mm, capacity 200 kg	**216-100-307**
Roller pipe stand for up to O.D. 760 mm, capacity 700 kg	**216-100-198**
Roller pipe stand for up to O.D. 710 mm, height-adjustable, capacity 500 kg	**216-100-233**
Roller pipe stand for O.D. 400 mm up to 1500 mm, width-adjustable, capacity 2000 kg	**216-100-200**



Rounding Clamps

Description	P/N
O.D. 250 w/o hydraulic cylinder	**219-000-011**
O.D. 280 w/o hydraulic cylinder	**219-000-010**
O.D. 315 w/o hydraulic cylinder	**219-000-002**
O.D. 355 w/o hydraulic cylinder	**219-000-003**
O.D. 400 w/o hydraulic cylinder	**219-000-004**
O.D. 450 w/o hydraulic cylinder	**219-000-005**
O.D. 500 w/o hydraulic cylinder	**219-000-006**
O.D. 560 w/o hydraulic cylinder	**219-000-007**
O.D. 630 w/o hydraulic cylinder	**219-000-008**
O.D. 800 w/o hydraulic cylinder	**219-000-015**
O.D. 900 w/o hydraulic cylinder	**219-000-014**
O.D. 1000 w/o hydraulic cylinder	**219-000-019**
O.D. 1200 w/o hydraulic cylinder	**219-000-020**
Hydraulic cylinder for O.D. 250 – O.D. 1200	**219-000-009**

Timer/Stopwatch

Description	P/N
Stopwatch timer for managing welding duration	**219-000-029**

Temperature Meter

Description	P/N
Temperature meter	**219-000-028**

Handheld Heating Elements

Handheld heating elements by **HÜRNER** have an ergonomic handle and are available for various dimensions, up to O.D. 250 mm, with or without temperature control, with power supply and heating duration monitoring, and with a tabletop stand, all in a metal case that pleases the eye.

Description	P/N
Handheld heating element HSE O.D. 120 mm, 230 V **without** temp. control, w/ tabletop stand and transport case	**200-230-047**
Handheld heating element HSE O.D. 120 mm, 230 V **with** temp. control, w/ tabletop stand and transport case	**200-230-550**
Handheld heating element HSE O.D. 190 mm, 230 V **without** temp. control, w/ tabletop stand and transport case	**200-230-039**
Handheld heating element HSE O.D. 190 mm, 230 V **with** temp. control, w/ tabletop stand, w/o transport case	**200-230-552**
Handheld heating element HSE O.D. 250 mm, 230 V **without** temp. control, w/ tabletop stand, w/o transport case	**200-230-046**
Handheld heating element HSE O.D. 250 mm, 230 V **with** temp. control, w/ tabletop stand, w/o transport case	**200-230-554**

Socket Welders

Socket welders by **HÜRNER** have an ergonomic handle for heating the socket and spigot, are available for various dimensions, and able to carry two or three combinations of spigot and socket at the same time, for jointing sleeves, pipes, and fittings of up to O.D. 125 mm, with or without temperature control, with power supply and heating duration monitoring, and with a tabletop stand, all in a metal case that pleases the eye.

Description	P/N
Socket welder HMS 63 T Ø 16–63 mm, 230 V **with invariable temperature**, with sockets and spigots Ø 20–63 mm (Type A), tabletop stand and transport box	**200-230-022**
Socket welder HMS 63 T Ø 16–63 mm, 230 V **with electronic temperature control**, temperature selector, mains power detector and heating interval monitor, with sockets and spigots Ø 20–63 mm (Type A), tabletop stand and transport box	**200-230-503**
Socket welder HMS 125 T Ø 16–125 mm, 230 V **with invariable temperature**, with sockets and spigots Ø 20–125 mm (Type A), tabletop stand and transport box	**200-230-505**
Socket welder HMS 125 T Ø 16–125 mm, 230 V **with electronic temperature control**, temperature selector, mains power detector and heating interval monitor, with sockets and spigots Ø 20–125 mm (Type A), tabletop stand and transport box	**200-230-504**

Heating Spigots and Sockets

Description	P/N
Heating spigot and socket O.D. 16 mm for socket welder HMS, DVS type A	**200-230-026**
Heating spigot and socket O.D. 20 mm for socket welder HMS, DVS type A	**200-230-028**
Heating spigot and socket O.D. 25 mm for socket welder HMS, DVS type A	**200-230-029**
Heating spigot and socket O.D. 32 mm for socket welder HMS, DVS type A	**200-230-030**
Heating spigot and socket O.D. 40 mm for socket welder HMS, DVS type A	**200-230-031**
Heating spigot and socket O.D. 50 mm for socket welder HMS, DVS type A	**200-230-032**
Heating spigot and socket O.D. 63 mm for socket welder HMS, DVS type A	**200-230-033**
Heating spigot and socket O.D. 75 mm for socket welder HMS, DVS type A	**200-230-034**
Heating spigot and socket O.D. 90 mm for socket welder HMS, DVS type A	**200-230-035**
Heating spigot and socket O.D. 110 mm for socket welder HMS, DVS type A	**200-230-036**
Heating spigot and socket O.D. 125 mm for socket welder HMS, DVS type A	**200-230-037**

Heating Spigots and Sockets DVS type B, ASTM/IPS upon request!

You want to learn more about us?

Feel free to ask for a meeting on our premises. Detailed information on the company and on our product range is also available on-line at **www.huerner.de**

10.2025

Your partner for HÜRNER Schweisstechnik:

HÜRNER Schweisstechnik GmbH

Technologie Straße
35325 Mücke
GERMANY

Ph +49 6401 9127 0

E-Mail: op@huerner.de
Internet: www.huerner.de

KVG Kunststoff-Vertriebs KG

Feincheswiese 5
56424 Staudt
GERMANY

Ph +49 2602 68050

E-Mail: info@kvg-staudt.de
Internet: www.kvg-staudt.de